

**United Shield International**



**THE ULTIMATE PROTECTION  
IN THE LINE OF FIRE**

United Shield International is one of the leading manufacturers in the world of personal ballistic and fragmentation protection equipment, our factory is based in Andover, UK where all production, research and development takes place.

United Shield's management team and staff have more than eighty years collective experience and expertise in the design and manufacture of ballistic helmets, body armour, ballistic shields, hard armour plates, EOD/IED protection equipment, mine clearance and demining equipment, as well as a variety of other ballistic and fragmentation protection products.

Our products are constructed from market leading ballistic materials, including the latest para-aramids (Twaron and Kevlar), high molecular weight polyethylene (Dyneema and Spectrashield), Goldflex, ceramic and other specialist ballistic composites. They meet many of the most widely accepted international ballistic standards and protocols, including the US – NIJ and MIL STD, UK – HOSDB, German – SK, Swedish – RPS, French – MOI, and NATO – STANAG.

All of our products are independently tested and certified. We supply ballistic and fragmentation protection equipment to all major government departments, as well as the Police, Emergency, Prison and Security services, and export to more than eighty countries around the world.

United Shield International is an ISO 9001:2008 and ISO 14001:2004 certified company



---

**Ballistic  
Helmets**

---

**Ballistic  
Shields**

---

**EOD  
Equipment**

---

**Ballistic  
Plates**

---

**Body  
Armour**

---

**Ballistic  
Accessories**


## SPEC OPS DELTA

Picatinny  
Rails

Universal  
NVG Mount

Bungee  
Cords

4 Points  
Adjustable Harness



The SPEC OPS DELTA helmet is the latest addition to our special operator helmet range. It is made from advanced Aramid composites and provides lightweight robust protection from ballistic and fragmentation projectiles as well as other low energy threats. This helmet is fitted with the latest low profile, impact absorption system from 4D. It comes standard with our 4 point, low profile proprietary multi-adjustment X harness (for improved helmet dimensional stability over standard H harnesses) and quick release split suede chin strap. The universal night vision mount and picatinny rails system are standard issue.


### PROTECTION LEVEL

Ballistic protection to NIJ Level IIIA (other standards available).  
Fragmentation protection to STANAG 2920 and US MIL Std 662F RCC.


### WEIGHT

1.2 - 1.3 kg (2.6 - 2.8 lbs)

### STANDARD COLOURS




BLACK



OLIVE DRAB



TAN



MULTICAM

Other colours available on special request.



SPEC OPS DELTA /MID-CUT/

# BOLT FREE HELMETS

Our Bolt-free helmet range is now available. Combining our existing helmet technology designed in-conjunction with our Omega harness; our Bolt free helmet increases overall protection and gives an uninterrupted surface finish with no bolts on the helmet. Currently available with our PASGT and MICH helmets there is no risk of second projectile danger giving the user added confidence when in a conflict scenario.

Protection levels remain unchanged. Ballistic protection tested to NIJ (National Institute of Justice) Level IIIA and Fragmentation tested to STANAG 2920 and MIL STD 662F RCC.



## SPRINT ALPHA

The SPRINT ALPHA is the answer to the operator that desires some additional ballistic coverage at moderate weight increases. The SPRINT cut is modified to add additional rear protection while still not interfering with other tactical equipment. It comes equipped standard with a high impact pad liner system complete with our proprietary 4 point multi-adjustable X harness (for improved helmet dimensional stability over standard H harnesses) and quick release split suede chinstrap.

In addition it includes factory fitted picatinny side rails, providing a solid platform onto which accessory attachments, such as cameras and flashlights, can be quickly and easily mounted, and an integrated universal night vision goggle mount.

### PROTECTION LEVEL

Ballistic protection to NIJ Level IIIA (other standards available).  
Fragmentation protection to STANAG 2920 and US MIL Std 662F RCC.

### WEIGHT

1.2 - 1.25 kg (2.55 - 2.75 lbs).

The ACH-MICH helmet was designed to replace the in-service PASGT helmet. The ACH-MICH helmet features a reduced weight, higher cut at the back and sides and removal of the front peak. This new low profile provides excellent compatibility with communications equipment, gas masks and especially helmet mounted night vision goggles. The helmet is tested to and exceeds the US ACH mil spec for 2,4,16,64 and 17 gr fragments.

## PROTECTION LEVEL

Ballistic protection to NIJ Level IIIA (other standards available).

Fragmentation protection to STANAG 2920 and US MIL Std 662F RCC.

## WEIGHT

1.22 - 1.35 kg (2.7 - 2.98 lbs)



---

## MICH /MID-CUT/



The ACH-MICH MID-CUT features a higher cut ear well to increase situational awareness while maintaining moderate ear coverage. The helmet meets and exceeds the US ACH mil spec for 2,4,16,64 and 17 gr fragments.

## PROTECTION LEVEL

Ballistic protection to NIJ Level IIIA (other standards available).

Fragmentation protection to STANAG 2920 and US MIL Std 662F RCC.

## WEIGHT

1.2 - 1.34 kg (2.65 - 2.95 lb).

# PASGT



The PASGT helmet is a general duties helmet suitable for military and police tactical use. The helmet is constructed from para aramid material and provides lightweight, robust protection from ballistic and fragmentation projectiles and other low energy threats. The latest harness design offers a stable and comfortable fit with individual adjustment capability. This 4 point harness is anchored to the shell with ballistic resistant bolts.

## PROTECTION LEVEL

Ballistic protection to NIJ Level IIIA (other standards available).

Fragmentation protection to STANAG 2920 and US MIL Std 662F RCC.

## WEIGHT

1.32 - 1.45 kg (2.9 - 3.2 lbs)

# SPEC OPS

The SPEC OPS helmet is specifically designed for high speed law enforcement and military teams. The unique shape provides for unparalleled peripheral vision, uninhibited hearing and adaptability to communications gear. This helmet features our standard Alpha harness and pads or retention system with our Omega mesh harness.

## PROTECTION LEVEL

Ballistic protection to NIJ Level IIIA (other standards available).

Fragmentation protection to STANAG 2920 and US MIL Std 662F RCC.

## WEIGHT

1.05 - 1.15 kg (2.3 - 2.5 lbs).



## COMMANDO

The Commando Helmet is a general duties helmet suitable for military and police tactical use. The helmet is constructed from para aramid material and provides lightweight, robust protection from ballistic and fragmentation projectiles and low energy threats. The latest harness design provides a stable and comfortable fit with individual adjustment capability. This four point harness is anchored to the shell with ballistic resistant bolts. The harness can be easily removed for cleaning or replacement. The distinctive Commando helmet shape provides excellent access for ear defenders and microphones.



### PROTECTION LEVEL

United Shield offers a broad range of helmet constructions to suit threat, weight and performance criteria. The Commando Helmet is available to meet NIJ Level II and IIIA as well as bespoke designs to meet specific client needs. Protection against fragments from V50 450m/sec – V50 650m/sec according to STANAG 2920 (17gr FSP) and US MIL STD 662F.

### WEIGHT

1.22 - 1.35 kg (2.7 - 2.98 lbs).

## VISORS



FRAGMENTATION FACE SHIELD



RIOT FACE SHIELD



BALLISTIC FACE SHIELD  
LEVEL II



BALLISTIC FACE SHIELD  
LEVEL IIIA


# BOA® CHINSTRAP

The BOA® is United Shield's the first stand-alone chinstrap to feature dial-adjustable fit. The BOA® Closure System provides the ultimate in stability, adjustment and fit while remaining lightweight and durable. The BOA® System responds to the dynamic loading conditions of a modern combat helmet. It is capable of withstanding the additional weight of headborne accessories while maintaining balance and stability.



## HELMETS SIZE CHART AND COLOUR SWATCH

| Size    | Head Sizes:<br>cm | Circ<br>in | Hat      |
|---------|-------------------|------------|----------|
| Small   | 50-56             | 19-22      | 5½ - 6½  |
| Medium  | 54-59             | 21-23      | 6 ½- 7 ¼ |
| Large   | 57-64             | 22-25      | 7 - 8    |
| X-Large | 61-66             | 24-26      | 7½ - 8½  |



BLACK



OLIVE DRAB



TAN



MULTICAM

Other colours available on special request.

# E.R.T. (Emergency Response Team)



The United Shield E.R.T shield is a new addition to our range of multi-functional shields. It has been designed in conjunction with officers from various tactical teams, to satisfy a need for a shield which is light and versatile, while being strong and robust. The shield is ambidextrous, so that left and right-handed operators can use the same shield quickly and without any need to change handle positions.

The integrated weapon mount provides for single-handed operation, allowing operators to deploy their weapon without exposing their arm. The shield has a tri-grip handle combined with three soft handles for ease of deploying the shield. The E.R.T shield offers increased head coverage against other shields. The shield is available in the sizes below:

610 x 914 mm (24" x 36"), 7.05 kg (15.5 lbs).

610 x 1220 mm (24" x 48"), 8.85 kg (19.5 lbs).



# NIJ IIIA SHIELDS

The United Shield range of NIJ Level IIIA ballistic shields incorporates the latest materials, technology, lightweight design and a handle system that has been ergonomically refined over a number of years.

These shields provide tactical teams with protection against ballistic and fragmentation threats. The shields are available in a standard range of sizes and protection levels, which are listed below with weights.

The standard sizes are:

|          |  |
|----------|--|
| Micra    | 457 x 660 mm (18" x 26"), 2.81 kg (6.2lbs)   |
| Small    | 510 x 865 mm (20" x 34"), 5.81 kg (12.8lbs)  |
| Standard | 610 x 914 mm (24" x 36"), 7.5kg (16.51lbs)   |
| Medium   | 560 x 1020 mm (22" x 40"), 7.95 kg (17.5lbs) |
| Large    | 610 x 1295 mm (24" x 51"), 9.7 kg (21.3lbs)  |
| Grande   | 610 x 1750 mm (24" x 69"), 12 kg (26.4lbs)   |

Custom sizes are available to suit customers' requirements.

Standard viewport sizes available are 100 x 250 mm (4"x10") and 100 x 400 mm (4"x16").



## LEVEL III/ IV

United Shield offers a unique line of rifle protection ballistic shields. These are manufactured using either high-density Polyethylene composites or high purity Alumina ceramic backed by a high performance Aramid laminate producing Level III & IV NIJ 0108.01 shields. Shields come with an optional 4" x 10" Level III/IV viewport. High mobility QUAD trolleys are also available.

### LEVEL III (Weight without viewport)

|       |                           |                  |
|-------|---------------------------|------------------|
| Kent  | 560 x 810 mm (22" x 32")  | 10.5 kg (23lbs)  |
| Std   | 610 x 915 mm (24" x 36")  | 13.6 kg (30lbs)  |
| Large | 610 x 1220 mm (24" x 48") | 18.1 kg (40 lbs) |

### Level IV (Weight with viewport)

|         |                           |                  |
|---------|---------------------------|------------------|
| Small   | 500 x 850 mm (20" x 34")  | 27 kg (60 lbs)   |
| Std     | 600 x 900 mm (24" x 36")  | 32.7 kg (72 lbs) |
| Large   | 600 x 1200 mm (24" x 48") | 43.1 kg (95 lbs) |
| Trolley |                           | 24.9 kg (55 lbs) |



BALLISTIC SHIELDS

# SPARTAN (Lightweight) NIJ IIIA

Spartan Shields utilise intelligent material concepts which enable us to build this new range 20% lighter with wall thickness reduced by 38%, when compared to traditional shield constructions. The shields are finished with a carbon cover which provides further stability and gives a unique look to this 'top of the range' product.

The quality and ballistic performance remains unchanged. To date, we have developed this technology with our West-Yorks, Kent and ERT shields, which are listed below with equivalent weights and sizes. We are also able to produce this shield to other sizes/designs, please contact the Sales Team for further information.

## ARMOUR SOLUTION

The shields have a standard ballistic protection of NIJ Level IIIA, but other protection levels are available on request.

## SIZES & WEIGHTS

|            |                            |                 |
|------------|----------------------------|-----------------|
| West-Yorks | 450 x 750 mm (18" x 29.5") | 2.4 kg (5.3lb)  |
| Kent       | 550 x 800 mm (22" x 31.5") | 3.4 kg (7.5lb)  |
| ERT        | 610 x 914 mm (24" x 36")   | 5.7 kg (12.5lb) |

Bespoke sizes are available to suit customer requirements.

## COLOUR

These shields come in a carbon finish as standard. Bespoke colours are available on request.

## OPTIONS

Upgrade options are available for these shields increasing protection levels up to NIJ Level III++. Lighting systems can be factory fitted or retro fitted. A carry bag can also be purchased for each shield size. Further options include rigid handles, cut out weapon rests and multiple harnesses.



**KENT SHIELD**



**E.R.T. SHIELD**



**WEST YORK SHIELD**

# 7.62x39mm MSC (AK47) NIJ III+ (Lightweight)

Our latest shield development utilizes a new material concept which allows us to introduce our higher level shield range now with a much improved performance.

Weight has been reduced by 30% with wall thickness reduced by 25%. We have also developed this technology with boltless designs meaning there are no weak points on the shield. The quality and ballistic protection remains unchanged.

All of the improvements lead to a much more user friendly product providing unmatched protection and confidence when in the line of fire.

We have developed this technology with our West-Yorks, Kent and RRS shield to date however, the technology is transferable through the entire range and bespoke ops are welcomed. Please contact the sales team for further information.

## ARMOUR SOLUTION

The shields are tested to NIJ Level III+ and were developed primarily to protect against the 7.62x39mm MSC (AK47) round but, other protection standards/levels are available on request.

## SIZES & WEIGHTS

|            |                            |                 |
|------------|----------------------------|-----------------|
| West-Yorks | 450 x 750 mm (18" x 29.5") | 5.6 kg (12.3lb) |
| Kent       | 550 x 800 mm (22" x 31.5") | 7.1 kg (15.6lb) |
| RRS        | 780 x 540 mm (30" x 21")   | 7.0 kg (15.4lb) |

## OPTIONS

Standard options can include multiple handle configurations, straps, Velcro, bespoke cut-outs, carry bag and lighting systems.



**RRS III+ SHIELD**



## PRO-LIGHT (Shield Lighting System)

The United Shield PRO LIGHT shield lighting system is a durable impact resistant light system, which can be factory fitted or retrofitted to ballistic shields

The PRO LIGHT system is especially suitable where robust build quality and reliability are essential. The PRO Light operational modes include on/off, strobe on/off, solid on and turbo strobe.

Waterproof,

Lumens = 520

Field of vision = 30°

Distance vision = 150 m (500 ft).

Peripheral vision = 18 m (60 ft).



United Shield International designs and manufactures a comprehensive range of market leading body armour products, which incorporate the latest high performance para aramid (Kevlar and Twaron), polyethylene and ceramic technology. Our extensive range has developed over time through product design, evolution and client requirement. Many of our staff have worked together for over twenty years, thus providing a wealth of knowledge and understanding of the body armour market, and of our customer's needs and requirements around the world. Protection, comfort and quality, backed up by excellent customer service, are the cornerstones of everything that we do.

## PRODUCTS RANGE

United Shield's range of body armour products are sub divided into covert and overt vests. Our covert vests are widely used where discretion, excellent ballistic protection, freedom of movement and comfort are required for extended periods of time, and include the C10, C11 and C20 vests. The ballistic inserts are removable and the covers are easy to clean and maintain. Overt vests include the P10, T10, T45 and T40 series and are in service with police and law enforcement forces, tactical fire arms and SWAT teams, the military, private security companies, marine organisations and the like, and provide maximum protection in accordance to the threat assessment. In addition we offer special duty vests such as the ballistic flotation vest and the combat swimmers vest for water borne operations. While we have a large standard product range, our experienced design team will develop bespoke solutions to satisfy customers' specific requirements.

Our popular materials include Cordura and Polyester for hard wearing overt operations. More subtle operations utilize Microfibre and on the inner side, comfort providing materials that assist with sweat management providing anti wicking characteristics. Again bespoke options are readily available.

## ARMOUR SOLUTIONS

A wide variety of soft and hard armour solutions are offered, including US NIJ Standard Levels II, IIIA, III and IV, as well as many National Standards. Many of our soft body armour vests are designed to be worn with hard armour plates to provide added flexibility and increased protection levels for users.



**P10 NC VEST**



**SILKLINE VEST**



**FEMALE VEST**



**M30  
FLOATATION VEST**



**T45 MBV VEST**

# OLYMPIA BOMB DISPOSAL SUIT



EOD Helmet with Integrated Head Set, Fan and Light

Removeable Blast Plate

Wrist Controller



Removeable Cooling Unit

## CONTENDER HELMET



Integrated helmet mounted demisting/cooling fan with self contained, rechargeable power pack RD40 Military Standard Grade particulate and vapour filter fitted.

High Intensity LED torchlight beam fitted above visor.

Removeable, washable head liners fitted for comfort and hygiene.

Helmet fitted headphones and microphone (NEXUS Pole).

The Sentinel combines all characteristic, features and benefits as the Contender with the added benefit of being completely CBRN combatible.

Enjoy high levels of ballistic/fragmentation protection with room for various respirators that may be required depending on the threat assessment.

## SENTINEL HELMET



The Olympia bomb suit is United Shield's latest and most advanced design of bomb suit. It is a complete EOD/IEDD ensemble and provides the highest levels of protection from the four main threats encountered by EOD/IEDD operators of fragmentation, overpressure, impact and heat.

The outer material is constructed from certified flame retardant material, such as Nomex® Delta T, and this material can also be used to cover the bomb suit helmet, providing optimal protection for EOD/IEDD operators from the flammability associated with blasts from explosive devices.

A key feature of the Olympia bomb suit is its zonal armor system, which provides outstanding blast protection with maximum mobility, flexibility and comfort. The highest protection level is afforded to life critical areas of the body, such as the neck, chest and groin, with STANAG 2920 V50's ranging from 1,900 m/sec to 450 m/sec. These levels of protection can be adjusted to suit individual customers needs.

## FRAGMENTATION PERFORMANCE

| Description                 | V50  |      |
|-----------------------------|------|------|
|                             | ft/s | m/s  |
| Jacket Front                | 1970 | 600  |
| Jacket Rear                 | 1480 | 450  |
| Collar                      | 1480 | 450  |
| Sleeves                     | 1480 | 450  |
| Hand Mitts                  | 1480 | 450  |
| Neck/Collar Blast Plate     | 6230 | 1900 |
| Groin Blast Plate           | 6230 | 1900 |
| Trousers with Thigh Inserts | 2230 | 680  |
| Trousers with Shin Inserts  | 2130 | 650  |
| Knee                        | 2620 | 800  |
| Integrated Groin Protector  | 1970 | 600  |
| Rear of Trousers            | 1480 | 450  |
| Over boots                  | 1480 | 450  |
| Helmet                      | 2300 | 700  |
| Visor                       | 2460 | 750  |

The Olympia Bomb Suit V50 protection levels have been tested in accordance with STANAG 2920 (17gr FSP) and MIL STD 662F protocols. All testing has been carried out by independently authorised and accredited test centres.

## WEIGHTS & SIZES

| Description  | Weight      |             |
|--|-------------|-------------|
|  | (lb)        | (kg)        |
| Trousers   | 17          | 7.7         |
| Blast Plates (set incl. collar/neck, chest & groin with carrier)         | 13.2        | 6.0         |
| Jacket with Collar and Hand Mitts  | 23.1        | 10.5        |
| Over boots   | 2.2         | 1.0         |
| Back Protector   | 1.8         | 0.8         |
| Helmet with Visor, Headset Communication, Search Light and Comfort Liner | 9.5         | 4.3         |
| <b>TOTAL WEIGHT</b>  | <b>66.8</b> | <b>30.3</b> |

| Size        | Height cm | Height ft /ins       |
|-------------|-----------|----------------------|
| Small       | 156 – 175 | 5ft 1 in - 5ft 9 in  |
| Medium      | 165 – 185 | 5ft 5 in - 6ft 1 in  |
| Large       | 180 – 198 | 5ft 11 in - 6ft 6 in |
| Extra Large | 195 +     | 6ft 5 in +           |

# TITANIA (Lightweight) BOMB SUIT

This new development focuses on reducing the physiological burden on the EOD Technician by reducing the weight of a conventional bomb suit by approximately 20%.

The TITANIA Lightweight Bomb Suit incorporates a novel concept where the jacket is worn beneath the salopette style trousers. This unique feature is designed to enhance flexibility and mobility and to funnel blast pressure away from the body.

The level of fragmentation protection is maintained by the use of the well proven three piece blast plates used in the full specification OLYMPIA Bomb Suit. These have a V50 performance rating exceeding 1900 m/sec which is the highest protection rating for any bomb suit provider.

The TITANIA can be worn with cooling suit and is offered with a full range of communications options.



## FRAGMENTATION PERFORMANCE

| Description  | V50       |           |
|--------------|-----------|-----------|
|              | Ft/s      | m/s       |
| Helmet       | 2300      | 700       |
| Visor        | 2460      | 750       |
| Suit         | 1480      | 450       |
| Blast Plates | 6230 (V0) | 1900 (V0) |
| Mittens      | 1480      | 450       |
| Overboots    | 1480      | 450       |

## WEIGHTS & SIZES

| Description       | lbs          | kg          |
|-------------------|--------------|-------------|
| Helmet with visor | Less than 11 | Less than 5 |
| Garment           | 33           | 15          |
| Blast Plates      | 13.2         | 6           |

| Size        | Height cm | Height ft /ins       |
|-------------|-----------|----------------------|
| Small       | 156 – 175 | 5ft 1 in - 5ft 9 in  |
| Medium      | 165 – 185 | 5ft 5 in - 6ft 1 in  |
| Large       | 180 – 198 | 5ft 11 in - 6ft 6 in |
| Extra Large | 195 +     | 6ft 5 in +           |

# BOMB SUPPRESSION BLANKET AND SAFETY CIRCLE

The United Shield Bomb Suppression Blanket and Safety Circle has been designed to provide a portable flexible, lightweight and compact means of protection from EOD and IEDD devices. It is tough and durable, being manufactured from multiple layers of treated aramid ballistic fabric sewn into a fire retardant and water repellent outer cover. It can be quickly and easily folded for storage in the water repellent carry bag, while robust webbing carry handles make for ease of transportation and rapid deployment.



## SEARCH AND SEEK SUITS



**ARCADIA**  
MINE CLEARANCE VEST



**SAXONIA**  
SEARCH AND SEEK SUIT



**FRANCONIA**  
MINE CLEARANCE SUIT

# BALLISTIC BLANKET

The United Shield ballistic blanket has been designed to provide a portable, flexible, lightweight, compact and multi-purpose means of ballistic protection. It has a number of loops around its perimeter, enabling it to be hung from objects, such as fences, when protection is required. Magnets mean that it can also be rested against cars, vans and other metal objects. It can be folded for storage and has handles for ease of transportation and deployment. The blanket is made from a high tenacity, tough and durable waterproof outer cover of polyurethane coated nylon, which protects the soft armour within.

## ARMOUR SOLUTION

A wide variety of ballistic solutions can be accommodated, ranging from NIJ standards IIA, II, and IIIA, as well as most European National standards.

## COLOURS

The nylon outer cover and webbing handles are black, but other colours are available on request.

## SIZE

The standard blanket measures 1250mm x 1250mm, but other sizes are available on request



# BALLISTIC BRIEFCASE



The United Shield ballistic briefcase is a discreet rapid deployment close protection device, with a non-threatening appearance, which is ideal for use by VIP close protection officers. It is low profile, lightweight and compact, making it easy to stow in vehicles, and to carry anywhere during escort duties. The design of the briefcase allows single handed and rapid deployment when required to provide a sizeable first line of effective ballistic and fragmentation defence and protection. The three part briefcase is constructed from heavy duty black ballistic nylon and unfolds quickly to provide around 1,000 x 500 mm of localised protection.

## ARMOUR SOLUTION

A variety of armour solutions can be offered. Standard protection is to US NIJ Level IIIA, as well as many European National Standards. with a V50 of > 450 m/second.

## DIMENSIONS & WEIGHT

The standard size is 500 x 340mm (20" x 13.5").

The weight of the standard size NIJ Level IIIA protection ballistic briefcase is 3.8 kgs (8.5 lbs).

## COLOURS

The standard colour is black, however other colours, finishes and materials are available by special order.

## OPTIONS

The size of the ballistic briefcase can be tailored to special order to suit customers requirements.

# **United Shield International**



## **International**

United Shield International Ltd.  
56 South Way, Walworth Industrial Estate, Andover,  
Hampshire, SP10 5AF, England  
Phone: +44 (0)1264 363 606, Fax +44 (0)1264 363 666  
Email: [sales@unitedshield.com](mailto:sales@unitedshield.com), [www.unitedshield.com](http://www.unitedshield.com)

## **North America**

United Shield International LLC  
1606 Barlow St, Unit 1, Traverse City  
MI 49686, USA  
Phone: +1 231 933 1179, Fax: +1 231 933 5368  
Email: [unitedshield.pjb@gmail.com](mailto:unitedshield.pjb@gmail.com) , [www.unitedshield.com](http://www.unitedshield.com)